




PRICE LIST 26



Service Parts
February 1, 2016



CONTENTS

Locks	M9000 Series	P3
	D900	P10
	C800 Series	P11
	D800 Series	P17
	CL700/CK700 Series	P21
	C500 Series	P27
	DB600 Series	P29
	C300/J300 Series	P31
Exit Devices	9000 Series	P35
	8000 Series	P39
Surface Closers	Closer Bodies	P41
	Backplates & Drop Plates	P41
	Conversion Plates	P42
	Brackets & Spacers	P43
	Fastener Packs	P44
	Covers & Accessories	P45
	Arms	P45
	Carry Bars & Extension Kits	P49
	Touch-Up Paint	P50
Fire/Life Safety	EMR/EMF Series	P51
	1800 Series	P53
	EM Series	P55
Concealed Closers/Pivot Sets	BTS Series	P57
	ITS Series	P63
	RTS Series	P65
	LM Series	P67
Stops/ HOLDERS	900/700 Series	P71




M9000 SERIES

Standard Lever Trim

LRA, LCA, LGA, LTA, L118A, LRB, LCB, LGB, LTB, L118B	
605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 629, 630


Part #	Description	List \$	
Lever and Rose (specify design/finish and handing)			
79003	Lever & rose, outside dummy	130	145
79001	Lever & rose, outside	130	145
79002	Lever & rose, inside	130	145
79004	Lever & rose, inside dummy	130	145



Example: 79001 LRA 626 RH

LRH, LCH, LGH, LTH, L118H	
605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 629, 630


Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever & escutcheon, outside dummy, blank	180	195
79101	Lever & escutcheon, outside blank	180	195
79211	Lever & escutcheon, outside cylinder	180	195
79221	Lever & escutcheon, outside emergency	180	195
79231	Lever & escutcheon, outside cointurn	180	195
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever & escutcheon, inside dummy, blank	180	195
79102	Lever & escutcheon, inside blank	180	195
79202	Lever & escutcheon, inside cylinder	180	195
79292	Lever & escutcheon, inside thumbturn	180	195



Example: 79101 LCH 626 RH

LRH, LCH, LGH, LTH, L118H	
605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 629, 630

Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever & escutcheon, outside dummy, blank	170	185
79101	Lever & escutcheon, outside blank	170	185
79211	Lever & escutcheon, outside cylinder	170	185
79221	Lever & escutcheon, outside emergency	170	185
79231	Lever & escutcheon, outside cointurn	170	185
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever & escutcheon, inside dummy, blank	170	185
79102	Lever & escutcheon, inside blank	170	185
79202	Lever & escutcheon, inside cylinder	170	185
79292	Lever & escutcheon, inside thumbturn	170	185



Example: 79101 LRM 626 RH

NOTE: All lever lock trim includes a spindle and spindle spring.


- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts



LVA, LFA, LDA, LNA, L114A, L112A,
LAA, L110A, L117A, L109A, KBA, LVB,
LFB, LDB, LNB, L114B, L112B, LAB,
L110B, L117B, L109B, KBB

Premium Lever Trim

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 629, 630
--	-------------------




Part #	Description	List \$	
Lever and Rose (specify design/finish and handing)			
79003	Lever & rose, outside dummy	145	160
79001	Lever & rose, outside	145	160
79002	Lever & rose, inside	145	160
79004	Lever & rose, inside dummy	145	160

Example: 79001 L110 626 RH

LVH, LFH, LDH, LNH, L114H, L112H,
LAH, L110H, L117H, L109H, KBH

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 629, 630
--	-------------------




Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever & escutcheon, outside dummy, blank	205	220
79101	Lever & escutcheon, outside blank	205	220
79211	Lever & escutcheon, outside cylinder	205	220
79221	Lever & escutcheon, outside emergency	205	220
79231	Lever & escutcheon, outside cointurn	205	220
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever & escutcheon, inside dummy, blank	205	220
79102	Lever & escutcheon, inside blank	205	220
79202	Lever & escutcheon, inside cylinder	205	220
79292	Lever & escutcheon, inside thumbturn	205	220

Example: 79101 L113H 626 RH

LVM, LFM, LDM, LNM, L114M, L112M,
LAM, L110M, L117M, L109M, KBM

605 PVD, 606 PVD, 612 PVD, 619 PVD, 625, 626	613 PVD, 629, 630
--	-------------------



Part #	Description	List \$	
Outside Lever and Escutcheon (specify design/finish and handing)			
79011	Lever & escutcheon, outside dummy, blank	195	210
79101	Lever & escutcheon, outside blank	195	210
79211	Lever & escutcheon, outside cylinder	195	210
79221	Lever & escutcheon, outside emergency	195	210
79231	Lever & escutcheon, outside cointurn	195	210
Inside Lever and Escutcheon (specify design/finish and handing)			
79012	Lever & escutcheon, inside dummy, blank	195	210
79102	Lever & escutcheon, inside blank	195	210
79202	Lever & escutcheon, inside cylinder	195	210
79292	Lever & escutcheon, inside thumbturn	195	210

Example: 79101 L114M 626 RH

NOTE: All lever lock trim includes a spindle and spindle spring.





Tactile Markings

Part #	Description	List Add \$
660002	Knurled or grooved lever (LR, LT, and LG designs only)	50
660003	Abrasive coated lever or knob (all designs)	40

NOTE: Tactile marking is applied to outside knob or lever only, unless otherwise specified. Prices shown per single lever or knob.

Button, Cointurns & Thumbturns (specify finish)

605 PVD, 606 PVD,
612 PVD, 613 PVD,
619 PVD, 625, 626,
629, 630

	Part #	Description	List \$
	79013	Thumbturn & rose, all except 9963	58
	79014	Thumbturn & rose, 9963	58
	79016	Cap outside, M9040/9940	10
	79113	Cointurn & rose, M9040/9042/9940/9942	70





Example: 79013 626

Emergency Turn

Part #	Description	List Add \$
76009816	Emergency Turn, M9040/9940	20

Occupancy Indicators

605, 606, 612,
613, 619, 625,
626, 629, 630

	Part #	Description	List \$
	79019	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish.	76
	79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	76
	79021	Occupancy indicator w/cointurn for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside.	76
	79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	76
			

NOTES:

- Occupancy indicators are for dead bolt functions or as noted by function description, used by 1-3/4"-2-1/8" thick doors.
- Consult factory for thicker doors. Specify finish. Example: 79019 626
- Indicators will work on the following functions but may have unexpected operation on lock sets that remain locked when the dead bolt is retracted: M9046, 9056, 9940, 9942, 9953, 9956, 9957, 9959, 9960, 9961, 9962, 9966, 9967, 9968, 9973, 9974, 9980, 9985, 9986, 9996

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems


Architectural Pulls & Handles

Service Parts




Strikes

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630



Part #	Description	List \$
5006 – ANSI Strike for Mortise Lock (* see below for usage; specify finish)		
5006-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner, curved lip	13
5006-078	1-1/4" x 4-7/8", 7/8" lip length, square corner, straight lip	29
5006-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner, curved lip	29
5006-134	1-1/4" x 4-7/8", 1-3/4" lip length, square corner, curved lip	29
5006-200	1-1/4" x 4-7/8", 2" lip length, square corner, curved lip	29

* Default **non-handed** strike shown in bold for all M9000 functions.



Part #	Description	List \$
5007 – ANSI Strike for Mortise Lock (*see below for usage; specify finish and handing)		
5007-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner, curved lip	13


* Optional **handed** strike available for M9000 functions without deadbolts. Only available in 1-1/4" lip length.

Strike Box for 5006 & 5007 Strikes

Part #	Description	List \$
76006253	Box, Strike	5



Lock Cases



Part #	Description	List \$
M9000 Series Lock Cases for Levers and Knobs Specify Lever (L) or Knob (K) and handing. (armor not included) See Ordering Examples below.		
19040	Chassis, M9010	170
19041	Chassis, M9040, 9042	215
19042	Chassis, M9046	250
19043	Chassis, M9025, 9080	250
19044	Chassis, M9050	250
19045	Chassis, M9053, 9070, 9071	250
19046	Chassis, M9056	275
19047	Chassis, M9060	275
19048	Chassis, M9076/M9077	275
19049	Chassis, M9082	275
19050	Chassis, M9940, 9942, 9956, 9968, 9996	275
19051	Chassis, M9953	275
19052	Chassis, M9957, 9959	275
19053	Chassis, M9958	275
19054	Chassis, M9966, 9973	275
19055	Chassis, M9967	325
19056	Chassis, M9974	325
19057	Chassis, M9980, 9985, 9986	325
19058	Chassis, M9080EL	750
19059	Chassis, M9080EU	750
19060	Chassis, M9082EL	750
19061	Chassis, M9082EU	750
19062	Chassis, M9080EL RX	900
19063	Chassis, M9080EU RX	900
19064	Chassis, M9080EL RX LM	1050
19065	Chassis, M9080EU RX LM	1050
19066	Chassis, M9010RX	320
19067	Chassis, M9025RX, 9080RX	400
19068	Chassis, M9050RX	400
19069	Chassis, M9010LM	320
19072	Chassis, M9025LM, 9080LM	400
19073	Chassis, M9050LM	400
19074	Chassis, M9053LM, 9070LM	400
19076	Chassis, M9080LM	400
19077	Chassis, M9082LM	400
19078	Chassis, M9080EL LM	900
19079	Chassis, M9080EU LM	900
19080	Chassis, M9082EL LM	900
19081	Chassis, M9082EU LM	900
19082	Chassis, M9010RX LM	470
19083	Chassis, M9025RX LM, 9080RX LM	550
19084	Chassis, M9050RX LM	550

Ordering examples: 19051 L RH Chassis, M9953, for Levers, RH / 19051 K LH Chassis, M9953, for Knobs, LH

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety


Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts



Part #	Description	List \$
M9000 Series Lock Cases for Dead Locks, Cases are non-handed. (armor not included)		
19070	Chassis, M9960, 9961, 9962	216
19071	Chassis, M9963	216

Lock Spindles

Part #	Description	List \$
76008426	Mortise lever lock spindle and spring (includes 2 spindles and 2 springs)	10

Mounting Kit for Trim One Side Only

Part #	Description	List \$
76007272	Mortise, less trim one side kit (M9003 and other functions)	17

Lead Lined Lock Case

Part #	Description	List \$
660001	Lead lining plate for M9000 Series mortise locks	193

Armor Fronts

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630



Part #	Description	List \$
Armor Fronts (specify finish) (screws included)		
19020	Armor latch 9010, 9040, 9042, 9046	24
19021	Armor latch, aux 9025, 9053, 9056, 9060, 9070, 9071, 9076, 9077, 9080, 9082, 9080EL, 9080EU, 9080ELRX, 9080EURX, 9082EL, 9082EU	24
19023	Armor latch, aux, stopworks 9050	24
19024	Armor latch, DB 9940, 9942, 9956, 9966, 9968, 9973, 9996	24
19025	Armor latch, DB, aux 9967, 9974, 9980, 9985, 9986	24
19026	Armor latch, DB, stopworks 9957, 9958, 9959	24
19027	Armor latch, DB, aux, stopworks 9953	24
19028	Armor DB 9960, 9961, 9962, 9963	24
19029	Armor blank 9003, 9004	24

Example: 19020 630



Armor Screw Packs

606, 612, 613, 630

Part #	Description	List \$
19032	Screw pack, armor mount (specify finish)	3

Example: 19032 630

Trim Screw Packs

606, 612, 613, 630

Part #	Description	List \$
For all A, B, H, and M Trims		
19033	Screw pack, M9000 trim (specify finish)	6

Security Screws (specify finish)

Part #	Description	List \$
660006	Security screws for all exposed fasteners (sectional trim and dead bolts only)	18
660010	Security screws for all exposed fasteners (H escutcheon only)	20
660011	Security screws for all exposed fasteners (M escutcheon only)	20

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts



D900 SERIES

605 PVD, 606 PVD, 612 PVD, 613 PVD, 619 PVD, 625, 626, 629, 630

Thumbturns (specify finish)



Part #	Description	List \$
79013	Thumbturn & rose	58

Occupancy Indicators

605, 606, 612, 613, 619, 625, 626, 629, 630



Part #	Description	List \$
79023	Occupancy indicator for rose trim used w/cylinder, reading OCCUPIED/VACANT or SECURED/UNSECURED. Both readings supplied. Specify finish.	76



79020	Occupancy indicator for rose trim used without cylinder, emergency access, reading OCCUPIED/VACANT. Specify finish.	76
-------	---	----



79021	Occupancy indicator w/cointurn for rose trim used without cylinder, reading SECURED/UNSECURED. No emergency access. Used on inside of door with 79019 on outside.	76
-------	---	----




79022	Occupancy indicator w/cointurn for rose trim used without cylinder, reading OCCUPIED/VACANT. Specify finish.	76
-------	--	----

NOTES:

- Occupancy indicators are for dead bolt functions or as noted by function description, used by 1-3/4"-2-1/8" thick doors.
- Consult factory for thicker doors. Specify finish. Example: 79019 626

Chassis Kit



Part #	Description	List \$
19090	D900 Chassis Kit — Includes armor plate, chassis mounting, strike, and armor plate screws	135

NOTE: Specify finish — 5301 630

Strikes



Part #	Description	List \$
5301	1-1/8" x 3-1/2" square corner strike	13

NOTE: Specify finish — 5301 630

Screwpack


Part #	Description	List \$
19035	SCRPK, D900 all functions	6

NOTE: Specify finish — 19035 630




C800 SERIES

Lever (specify design/finish)

		LR, LC, LG, LT, LF, LV		
		626	605 PVD, 606 PVD, 612 PVD, 619 PVD, 625	613 PVD
Part #	Description	List \$		
 30001	Closed lever	86	88	90
30002	Open & cylinder lever	86	88	90
30003	SFIC cylinder lever	86	88	90
30004	FSIC cylinder lever — Schlage	135	137	139
30053	Cylinder lever — Sargent 10 line KIL	135	137	139
76016360	Insert, Lever (not used on interchangeable core levers)	—	2	—

Example: 30001 LR 626

Lever (specify design/finish)

		C, D, E, F		
		626	605 PVD, 606 PVD, 612 PVD, 619 PVD, 625	613 PVD
Part #	Description	List \$		
 40001C	Rose, inside and outside	62	66	70
40725C	Rose, outside, blank	62	66	70
40001D	Rose, inside, stamped LOCK ¹	75	79	83
40001E	Rose, stepped, inside and outside	62	66	70
40001F	Rose, stepped, inside, stamped LOCK ¹	75	79	83

Example: 40001 C 626

1. For use on C860 and C877 only.

1/2" Throw, 2-3/4" Backset Latch Bolts

605 PVD, 606 PVD,
612 PVD, 613 PVD,
629, 630

Part #	Description	List \$
For 810, 840, and 844 Locks (specify finish)		
10202	1-1/8" × 2-1/4" front, 1" diameter, square corner	58
For all other locks (specify finish)		
10252	1-1/8" × 2-1/4" front, 1" diameter, square corner	58

Example: 10202 630

1/2" Throw, 3-3/4" Backset Latch Bolts

605 PVD, 606 PVD,
612 PVD, 613 PVD,
629, 630


Part #	Description	List \$
For 810, 840, and 844 Locks (specify finish)		
10302	1-1/8" × 2-1/4" front, 1" diameter, square corner	74
For all other locks (specify finish)		
10352	1-1/8" × 2-1/4" front, 1" diameter, square corner	74

Example: 10302 630



1/2" Throw, 2-3/8" Backset Latch Bolts

605, 606,
612, 613, 630




Part #	Description	List \$
For 810, 840, and 844 Locks (specify finish)		
10100	1" x 2-1/4" front, 7/8" diameter, square corner	68
10101	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	68
10102	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	68
For all other locks (specify finish)		
10150	1" x 2-1/4" front, 7/8" diameter, square corner	68
10151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	68
10152	1-1/8" x 2-1/4" front, 7/8" diameter, square corner	68

Example: 10102 630


3/4" Throw, 2-3/4" Backset Latch Bolts

605, 626



Part #	Description	List \$
For All 800 Locks (non-restoring)		
18262	1-1/8" x 2-1/4" front, 1" diameter, square corner	150

Backset Links



Part #	Description	List \$
For all Locks		
76016007	3-3/4" Backset Link, restoring and non-restoring	20
76016008	5" Backset Link, restoring and non-restoring	20

Use with 2-3/4" backset latch

Strikes

605 PVD, 606 PVD, 612 PVD,
613 PVD, 629, 630




Part #	Description	List \$
5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish)		
5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	13
5001-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	32

Example: 5001-1316 630

NOTE: Consult Factory for special applications.

605, 606,
612, 613, 630




Part #	Description	List \$
5101, 5102 — "T" Strike with Dust Box (specify finish)		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	9
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	25
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner	9
5102-112	1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner	25

Example: 5101-118 630



605, 606,
612, 613, 630



Part #	Description	List \$
5201, 5202 — Full Lip Strike (specify finish)		
5201-118	1-5/8" × 2-1/4", 1-1/8" lip length, square corner	9
5202-118	1-5/8" × 2-1/4", 1-1/8" lip length, 1/4" radius corner	9

Example: 5201-118 630

Strike Boxes for 5001 & 5101/5102 Strikes

Part #	Description	List \$
76006253	Box, Strike 5001	5
76006254	Box, Strike 5101/5102/5201/5202	2

Screw Packs

Part #	Description	List \$
C800 Levers		
19096	Screw pack, C801 and C802	15
19097	Screw Pack, all other functions (specify finish)	

Example: 19097 630

Security Screws

Part #	Description	List \$
660007	Security screws for all latches and strikes (specify finish)	12

Lock Spacers for Thin Doors, C800 Series, Levers Only

Part #	Description	List \$
660005	Spacers for thin door, 1 pair (2 spacers) 1-3/8"–1-5/8" door (specify finish)	36

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles


Service Parts



Tailpieces, Conventional, SFIC & Retrofit C800 Locksets

Part #	Description (sold in multiples of 10 unless otherwise specified)	List \$
Conventional & SFIC		
67 27 D	C800D (except C873D), levers and knobs (includes white spacer)	4
67 27 C	C800C (except C873C), levers only	4
67 28 D	C873D, levers and knobs (includes white spacer)	4
67 28 C	C873C, levers only	4
67 29 C	C873C, knobs only	3
67 12 C	C800C, knobs (except C873C)	3
67 85 D	C885D (includes retainer), levers only (sold in multiples of 5 only). C885 not available.	5
Retrofit		
67 27 R	C800R (except C873R), Schlage FSIC, levers only	5
67 28 R	C873, levers only	5
67 27 A	C800A (except C873A), Corbin/Ruswin 6-pin FSIC & Pyramid 7-pin FSIC, levers only	4
67 28 A	C873A, levers only	4
67 27 M	C800M (except C873M), Medeco 32 FSIC, levers only	5
67 28 M	C873M, levers only	5
67 27 E	C800E (except C873E), Corbin/Ruswin 2000 KIL, levers only (includes black spacer)	4
67 28 E	C873E, levers only (includes black spacer)	4
67 27 N	C800N (except C873N), Sargent 6300 FSIC, levers only	4
67 28 N	C873N, levers only	4
67 27 S	C800S (except 873S), Sargent 10 Line KIL, levers only	4
67 28 S	C873S, levers only	4
67 27 Y	C800Y (except C873Y), Yale 1210/Medeco 31 FSIC, levers only	5
67 28 Y	C873Y, levers only	5
76016485	Spacer, tailpiece, white, for use with 6727D & 6728D when used with Schlage OEM cylinders	1
76016486	Spacer, tailpiece, black, for use with 6727D & 6728D when used with Corbin/Ruswin 2000 OEM cylinders	1

Boring Jig



Part #	Description	List \$
76004795	Boring Jig for C800 and CL700 Locksets	10

Lock Lever Chassis Assemblies for non-cylinder, standard cylinder & SFIC options

605, 606, 612,
613, 625, 626

Part #	Description	List \$
19098	Insert, inside C801, C802	69
19099	Insert, outside C802	79
19100	Chassis, C810	189
19101	Chassis, C812	189
19102	Chassis, C825	189
19103	Chassis, C830 (specify finish)	219
19104	Chassis, C840 (specify finish)	219
19105	Chassis, C844 (specify finish)	219
19106	Chassis, C848	189
19107	Chassis, C850 (specify finish)	219
19108	Chassis, C853 (specify finish)	219
19109	Chassis, C855 (specify finish)	219
19110	Chassis, C860	219
19111	Chassis, C865	189
19112	Chassis, C866	279
19113	Chassis, C870	189
19114	Chassis, C872	219
19115	Chassis, C873 (specify finish)	279
19116	Chassis, C877	279
19117	Chassis, C880	189
19118	Chassis, C882	219
19119	Chassis, C885 (specify finish)	279
19120	Chassis, C810RX	329
19121	Chassis, C850RX (specify finish)	357
19122	Chassis, C853RX (specify finish)	357
19123	Chassis, C870RX	329
19124	Chassis, C880RX	329
19125	Chassis, C880EL	374
19126	Chassis, C880EL RX	513
19127	Chassis, C880EU	374
19128	Chassis, C880EU RX	513

Example: 19108 626**NOTES:**

- Chassis include push buttons and emergency releases where required (specify finish).
- Locks that have been prepared to accept competitors' cylinders may have a modified chassis. It is recommended to contact DORMA technical services prior to ordering.

Locks

Cylinders,
Keys & Keying

Exit Devices


Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls &
Handles

Service Parts

D800 SERIES

1" Throw Dead Bolts

605, 606,
612, 613,
619, 625, 626




Part #	Description	List \$
28652	1-1/8" x 2-1/4" faceplate, 2-3/8" backset, square corner (specify finish)	36
28752	1-1/8" x 2-1/4" faceplate, 2-3/4" backset, square corner (specify finish)	36

Example: 28752 626


Strikes

605, 606,
612, 613,
619, 625, 626




Part #	Description	List \$
5103 — Standard Strike for Dead Bolt (specify finish)		
5103	1-1/8" x 2-3/4", no lip, square corner	10

Example: 5103 626



Part #	Description	List \$
5004 — ANSI Strike with Dead Bolt Cutout (specify finish)		
5004	1-1/4" x 4-7/8", no lip, square corner	13

Example: 5004 626



Part #	Description	List \$
5203 — Full Lip Strike with Dead Bolt Cutout (specify finish)		
5203-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9

Example: 5203-118 630



Part #	Description	List \$
5006 — ANSI Strike with lip and Dead Bolt cutout (specify finish)		
5006-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner	13
5006-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	29

Example: 5006-114 630

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts




Thumb Turn & Rose (specify finish)

605, 606, 612,
613, 619, 625, 626

Part #	Description	List \$
28001	Turn and rose, D860/880/871/882	30
28002	Turn and rose, D863	30
28003	Turn and rose, D881	30
28006	Turn and rose, outside, D882	30
28004	Rose and plate, D861	30
28005	Rose and plate, D880	30

Cylinder Rings (specify finish)


605, 606, 612,
613, 619, 625, 626



Part #	Description	List \$
28010	Cylinder ring and insert, D800	36
28011	Cylinder ring, IC core	22

Snap On Faceplate (specify finish)

605, 606, 612,
613, 619, 625, 626



Part #	Description	List \$
28020	Snap on faceplate standard cylinder	10
28021	Snap on faceplate SFIC	10
28022	Snap on faceplate, Schlage FSIC	10

Occupancy Indicator (specify finish)



Part #	Description	List \$
79023	Occupancy indicator w/cointurn	50



Cylinder Housings

	Part #	Description	List \$
	76010496	Housing, outside, D800 standard cylinder	22
	76010498	Housing, inside, D800 standard cylinder	22
	76010497	Cylinder, retaining screw	1
	76010509	Housing, outside, D860/863 SFIC	42
	76010510	Housing, outside, D861 SFIC	42
	76010511	Housing, outside, D862 SFIC, 1-3/8"-1-3/4" door thickness	42
	76010512	Housing, inside, D862 SFIC, 1-3/8"-1-3/4" door thickness	42
	76013630	Housing, outside, D860R/863R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness	50
	76018148	Housing, outside, D862R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness	50
	76018149	Housing, inside, D862R to accept Schlage FSIC, 1-3/4"-2-1/2" door thickness	50

Screw Packs

Part #	Description	List \$
76010432	Screw pack, D860/861/863, 605/606 finish	10
76010433	Screw pack, D860/861/863, 612 finish	10
76010434	Screw pack, D860/861/863, 613 finish	10
76010435	Screw pack, D860/861/863, 619/625/626 finish	10
76010448	Screw pack, IC D860/861/863, 605/606 finish	10
76010449	Screw pack, IC D860/861/863, 612 finish	10
76010450	Screw pack, IC D860/861/863, 613 finish	10
76010451	Screw pack, IC D860/861/863, 619/625/626 finish	10
76010444	Screw pack, D862, 605/606 finish	10
76010445	Screw pack, D862, 612 finish	10
76010446	Screw pack, D862, 613 finish	10
76010447	Screw pack, D862, 619/625/626 finish	10
76010436	Screw pack, D871/880, 605/606 finish	10
76010437	Screw pack, D871/880, 612 finish	10
76010438	Screw pack, D871/880, 613 finish	10
76010439	Screw pack, D871/880, 619/625/626 finish	10
76010440	Screw pack, D881, 605/606 finish	10
76010441	Screw pack, D881, 612 finish	10
76010442	Screw pack, D881, 613 finish	10
76010443	Screw pack, D881, 619/625/626 finish	10
76018150	Screw pack, D882R, 605/606 finish, for Schlage FSIC	12
76018151	Screw pack, D882R, 612 finish, for Schlage FSIC	12
76018152	Screw pack, D882R, 613 finish, for Schlage FSIC	12
76018153	Screw pack, D882R, 619/625/626 finish, for Schlage FSIC	12



Security Screws

Part #	Description	List \$
660008	Security screws for all exposed fasteners (specify finish)	18

Tailpieces, Conventional, SFIC & FSIC D800 Dead Bolts


D800 Tailpieces	Tailpiece	Cylinder Type	Application	List \$
	6718D	Standard	D861	3
	6719D	Standard	D860/D863	3
	6720D	Standard	D862	3
	6718C	SFIC	D861	3
	6720C	SFIC	D862	3



CL700/CK700 SERIES

Levers (specify design/finish)

LG, LR, LC	LG, LR, LC
626	605, 606, 612, 613, 625



Part #	Description	List \$	
37001	Closed lever	64	68
37002	Open & cylinder lever	64	68
37003	Interchangeable core cylinder lever, SFIC	64	68
37031	Closed lever, outside CL730	64	68

Example: 37001 LG 626

Knobs (specify design/finish)

KR, KB	KR, KB
630	605




Part #	Description	List \$	
37001	Closed knob	30	34
37002	Open & cylinder knob	41	44
37012	Outside open knob CK740	41	44
37011	Closed knob CK701	30	34
37003	Interchangeable core cylinder knob, SFIC	41	44

Example: 37001 KR 630

Roses for Levers (specify finish)

C	C
626	605, 606, 612, 613, 625



Part #	Description	List \$	
47001E	Rose, outside	28	32
47002E	Rose, inside	22	26
47725E	Rose, outside, blank	28	32

Example: 47001 E 626

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders


Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 606, 612,
613, 630




Part #	Description	List \$
For 710 Locks (specify finish)		
17100	1" x 2-1/4" front, 7/8" diameter, square corner	42
17101	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17102	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 712, 725, 750, 753, 770, or 780 Locks (specify finish)		
17150	1" x 2-1/4" front, 7/8" diameter, square corner	42
17151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17152	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 730 Locks (specify finish)		
17180	1" x 2-1/4" front, 7/8" diameter, square corner	42
17181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17182	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 740 Locks (specify finish)		
17130	1" x 2-1/4" front, 7/8" diameter, square corner	42
17131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17132	1-1/8" x 2-1/4" front, 1" diameter, square corner	42

Example: 17100 630

1/2" Throw, 2-3/4" Backset Latch Bolts

605, 606, 612,
613, 630




Part #	Description	List \$
For 710 Locks (specify finish)		
17200	1" x 2-1/4" front, 7/8" diameter, square corner	42
17201	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17202	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 712, 725, 750, 753, 770, or 780 Locks (specify finish)		
17250	1" x 2-1/4" front, 7/8" diameter, square corner	42
17251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17252	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 730 Locks (specify finish)		
17280	1" x 2-1/4" front, 7/8" diameter, square corner	42
17281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17282	1-1/8" x 2-1/4" front, 1" diameter, square corner	42
For 740 Locks (specify finish)		
17230	1" x 2-1/4" front, 7/8" diameter, square corner	42
17231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	42
17232	1-1/8" x 2-1/4" front, 1" diameter, square corner	42

Example: 17200 630

1/2" Throw, 3-3/4" Backset Latch Bolts

605, 606, 612,
613, 630


Locks
Cylinders, Keys & Keying
Exit Devices
Electronic Access Control Components
Low Energy Operators
Surface Closers
Fire/Life Safety
Concealed Closers/Pivots
Stops/ Holders
Sliding Systems
Architectural Pulls & Handles
Service Parts



Part #	Description	List \$
For 710 Locks (specify finish)		
17300	1" x 2-1/4" front, 7/8" diameter, square corner	50
17301	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17302	1-1/8" x 2-1/4" front, 1" diameter, square corner	50
For 712, 725, 750, 753, 770, or 780 Locks (specify finish)		
17350	1" x 2-1/4" front, 7/8" diameter, square corner	50
17351	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17352	1-1/8" x 2-1/4" front, 1" diameter, square corner	50
For 730 Locks (specify finish)		
17380	1" x 2-1/4" front, 7/8" diameter, square corner	50
17381	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17382	1-1/8" x 2-1/4" front, 1" diameter, square corner	50
For 740 Locks (specify finish)		
17330	1" x 2-1/4" front, 7/8" diameter, square corner	50
17331	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	50
17332	1-1/8" x 2-1/4" front, 1" diameter, square corner	50

Example: 17300 630

Backset Link



Part #	Description	List \$
5" Backset Link for 710, 712, 725, 750, 753, 770 and 780 Locks		
76008115	5" Backset Link, non-restoring	18
5" Backset Link for 740		
76008106	5" Backset Link, restoring	18


Use with 2-3/8" backset latch

Face Plate Filler

Part #	Description	List \$
76006496	Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10)	.40

Strikes


605, 606,
612, 613, 630



Part #	Description	List \$
5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish)		
5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	13
5001-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	32

Example: 5001-1316-630


605, 606,
612, 613,



Part #	Description	List \$
5101, 5102 — "T" Strike with Dust Box (specify finish)		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	9
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	25
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner	9
5102-112	1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner	25

Example: 5101-118 630

605, 606,
612, 613, 630



Part #	Description	List \$
5201, 5202 — Full Lip Strike (specify finish)		
5201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9
5202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	9

Example: 5201-118 630

Tailpieces, Conventional & SFIC CL/CK700 Locksets

Part#	Description (sold in multiples of 10 unless otherwise specified)	List \$
67 12 D	CK700D, knobs only, standard cylinder	3
67 12 C	CK700C, knobs only, SFIC	3
67 13 D	CL700D, levers only, standard cylinder	3
67 13 C	CL700C, levers only, SFIC	3

Strike Boxes for 5001 & 5101/5102 Strikes

Part #	Description	List \$
76006253	Box, Strike 5001	5
76006254	Box, Strike 5101/5102/5201/5202	2




Screw Packs

Part #	Description	List \$
CL700 Screw Packs		
76008309	Screw pack, CL700, 605/606 finish	12
76008310	Screw pack, CL700, 612 finish	12
76008311	Screw pack, CL700, 613 finish	12
76008312	Screw pack, CL700, 619, 625, 626 finish	12
76006556	Screw pack, CL701	12
CK700 Screw Packs		
76008313	Screw pack, CK700, 605 finish	12
76008316	Screw pack, CK700, 630 finish	12
76006543	Screw pack, CK701	12

NOTES: For cylinders, refer to Cylinders & Keying section for pricing. 630 finish latch, strike, and/or screw packs used with 619, 625, 626, 629, or 630 lock finishes.

Boring Jig

Part #	Description	List \$
76004795	Boring jig for CL800 and CL700 locksets	10




- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts



C500 SERIES

1/2" Throw, 2-3/8" Backset Latch Bolts

605, 613, 630




Part #	Description	List \$
For 510 or 540 Locks (specify finish)		
15130	1" x 2-1/4" front, 7/8" diameter, square corner	23
15131	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	23
For 525, 550, 553, 570, or 580 Locks (specify finish)		
15150	1" x 2-1/4" front, 7/8" diameter, square corner	25
15151	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25
For 530 Locks (specify finish)		
15180	1" x 2-1/4" front, 7/8" diameter, square corner	25
15181	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25

Example: 15130 630

1/2" Throw, 2-3/4" Backset Latch Bolts

605 613, 630



Part #	Description	List \$
For 510 or 540 Locks (specify finish)		
15230	1" x 2-1/4" front, 7/8" diameter, square corner	23
15231	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	23
For 525, 550, 553, 570, or 580 Locks (specify finish)		
15250	1" x 2-1/4" front, 7/8" diameter, square corner	25
15251	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25
For 530 Locks (specify finish)		
15280	1" x 2-1/4" front, 7/8" diameter, square corner	25
15281	1" x 2-1/4" front, 7/8" diameter, 1/4" radius corner	25

Example: 15230 630

Face Plate Filler

Part #	Description	List \$
76006496	Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10)	0.40

Strikes


605, 613, 630



Part #	Description	List \$
5001 — ANSI Strike with Cylindrical Lock Cutout (specify finish)		
5001-1316	1-1/4" x 4-7/8", 1-3/16" lip length, square corner	13
5001-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	32

Example: 5001-1316 630


605, 613, 630



Part #	Description	List \$
5101, 5102 — "T" Strike with Dust Box (specify finish)		
5101-118	1-1/8" x 2-3/4", 1-1/8" lip length, square corner	9
5101-112	1-1/8" x 2-3/4", 1-1/2" lip length, square corner	25
5102-118	1-1/8" x 2-3/4", 1-1/8" lip length, 1/4" radius corner	9
5102-112	1-1/8" x 2-3/4", 1-1/2" lip length, 1/4" radius corner	25

Example: 5101-118 630

605, 613, 630



Part #	Description	List \$
5201, 5202 — Full Lip Strike (specify finish)		
5201-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9
5202-118	1-5/8" x 2-1/4", 1-1/8" lip length, 1/4" radius corner	9

Example: 5201-118 630

Strike Box


Part #	Description	List \$
Strike Boxes for 5001 and 5101/5102 Strikes		
76006253	Box, Strike 5001	5
76006254	Box, Strike 5101/5102/5201/5202	2

Screw Packs

Part #	Description	List \$
C500		
76011566	Screw pack, C501	12
76011563	Screw pack, all C500 except C501, 619/625/626 finish	12
76011564	Screw pack, all C500 except C501, 605/606 finish	12
76011565	Screw pack, all C500 except C501, 613 finish	12

NOTES: Levers/rosettes not available as service items. 605 finish latch, strike, and/or screw packs used with 605 or 606 lock finishes. 630 finish latch, strike, and/or screw packs used with 619, 625, or 626 lock finishes.

Boring Jig



Part #	Description	List \$
76004795	Boring jig for C500 locksets	10


Tailpieces, Conventional & SFIC C500 Locksets

Part #	Description (sold in multiples of 10 unless otherwise specified)	List \$
67 24 D	C550D, C553D, C555D, C580D, levers only, standard cylinder	3
67 24 C	C550C, C553C, C555C, C580C, levers only, SFIC	3
67 25 D	C570D, levers only, standard cylinder	3
67 25 C	D570C, levers only, SFIC	3

DB600 SERIES

1" Throw, 2-3/8"-2-3/4" Adjustable Backset Dead Bolts

605, 613, 630



Part #	Description	List \$
26170	1" x 2-1/4" faceplate, square corner (1-1/8" wide w/filler)	25
26171	1" x 2-1/4" faceplate, radius corner	25
26173	1" diameter, drive in (630 only)	25


Example: 26170 630

Face Plate Filler

Part #	Description	List \$
76006496	Faceplate, filler 1-1/8" x 2-1/4" (order in quantities of 10)	.40


Strikes

605, 613, 630




Part #	Description	List \$
5103 — Standard Strike for Dead Bolt (specify finish)		
5103	1-1/8" x 2-3/4", no lip, square corner	9

Example: 5103 630



Part #	Description	List \$
5004 — ANSI Strike with Dead Bolt Cutout (specify finish)		
5004	1-1/4" x 4-7/8", no lip, square corner	13

Example: 5004 630



Part #	Description	List \$
5203 — Full Lip Strike with Dead Bolt Cutout (specify finish)		
5203-118	1-5/8" x 2-1/4", 1-1/8" lip length, square corner	9

Example: 5203-118 630



Part #	Description	List \$
5006 — ANSI Strike with Lip and Dead Bolt Cutout (specify finish)		
5006-114	1-1/4" x 4-7/8", 1-1/4" lip length, square corner	13
5006-112	1-1/4" x 4-7/8", 1-1/2" lip length, square corner	29

Example: 5006-114 630

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts



Tailpieces, Conventional & SFIC DB600 Dead Bolts

DB600 Tailpieces				
	6716D	Standard	D660	3
	6717D	Standard	D662	3
	6716C	SFIC	D660	3
	6717C	SFIC	D662	3





C300/J300 SERIES

Finish Availability Chart

	626	613	619	605
LR	•	•		
LC	•	•		•
LG	•	•	•	
LS		•	•	•

Levers/Roses (specify design/finish)


	Part #	Description	List \$
	33001	Closed lever — plain	25
	33002	Open lever — button and cylinder	25
	33003	SFIC lever — interchangeable core (J353 only) LR only	25
	43001	Rose, inside	12
	43002	Rose, outside	12

Example: 33001 LR 626

Screwpacks


Part #	Description	List \$
76019305	Screwpack, C300 619/626	10
76019306	Screwpack, C300 605	10
76019307	Screwpack, C300 613	10
76019308	Screwpack, C301 DUMMY	5
76019659	Screwpack, J300 mounting screws	10
76019660	Screwpack, J300 escutcheon 605	5
76019661	Screwpack, J300 escutcheon 619	5
76019662	Screwpack, J300 escutcheon 613	5
76019663	Screwpack, J300 escutcheon 630	5

C300 Strikes

	Part #	Description	List \$
	5001	ANSI (4-7/8") strike	9
	5101	T Strike, 1-1/8" lip length, square corner	9
	5202	Full lip strike, 1-1/8" lip length, 1/4" radius corner	9

Example: 5001 626


J300 Strikes



Part #	Description	List \$
5701	Lock — T strike, dead bolt - no lip square corner strike dead bolt	16
5703	Lock — full lip square corner strike, dead bolt - no lip square corner strike	16
5704	Lock — full lip 1/4" radius corner strike, dead bolt - no lip 1/4" radius corner strike	16
5705	Lock — full lip square corner strike, dead bolt - full lip square corner strike	16
5706	Lock — full lip 1/4" radius corner strike, dead bolt - full lip 1/4" radius corner strike	16

Latches


C310/C340 Non-Fire



Part #	Description	List \$
13202	2-3/4" backset x 1-1/8" SC faceplate	15
13200	2-3/4" backset x 1" SC faceplate	15
13201	2-3/4" backset x 1" RC faceplate	15
13102	2-3/8" backset x 1-1/8" SC faceplate	15
13100	2-3/8" backset x 1" SC faceplate	15
13101	2-3/8" backset x 1" RC faceplate	15

Example: 13202 626


C310/C340/J310 Fire



Part #	Description	List \$
13202F	2-3/4" backset x 1-1/8" SC faceplate	20
13200F	2-3/4" backset x 1" SC faceplate	20
13201F	2-3/4" backset x 1" RC faceplate	20
13102F	2-3/8" backset x 1-1/8" SC faceplate	20
13100F	2-3/8" backset x 1" SC faceplate	20
13101F	2-3/8" backset x 1" RC faceplate	20

Example: 13202F 626

C330 Fire




Part #	Description	List \$
13282F	2-3/4" backset x 1-1/8" SC faceplate	20
13280F	2-3/4" backset x 1" SC faceplate	20
13281F	2-3/4" backset x 1" RC faceplate	20
13182F	2-3/8" backset x 1-1/8" SC faceplate	20
13180F	2-3/8" backset x 1" SC faceplate	20
13181F	2-3/8" backset x 1" RC faceplate	20

Example: 13282F 626




C353/J353 Fire



Part #	Description	List \$
13232F	2-3/4" backset × 1-1/8" SC faceplate	20
13230F	2-3/4" backset × 1" SC faceplate	20
13231F	2-3/4" backset × 1" RC faceplate	20
13132F	2-3/8" backset × 1-1/8" SC faceplate	20
13130F	2-3/8" backset × 1" SC faceplate	20
13131F	2-3/8" backset × 1" RC faceplate	20

Example: 13282F 626

J300 Deadbolts



Part #	Description	List \$
13390	Adjustable backset 1" SC faceplate with filler	20
13391	Adjustable backset 1" RC faceplate	20

Example: 13390 626

J300 Components

Part #	Description	List \$
33801	SFIC dead bolt cylinder housing with trim ring	30
33802	Standard cylinder dead bolt cylinder housing with trim ring	30
33803	J300 thumb turn with rose	25

Miscellaneous Parts

Part #	Description	List \$
76019292	Black plastic lever insert — J310	0.5
76019304	Latch filler — 1" to 1-1/8"	0.5

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts



9000 SERIES

Item	Description	Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
		List \$		
Alarms, Controls, and Monitoring				
BPA Kit	Battery powered alarm kit. Specify bar size and finish (includes standard cylinder).	590	590	—
BPAR Kit	Battery powered alarm, 4 minute reset kit. Specify bar size and finish (includes standard cylinder).	590	590	—
DWA Kit	Direct wired alarm kit. Specify bar size and finish.	560	560	—
MS Kit	Monitor switch kit	—	—	253
Dogging				
CDK Kit	Kit allows conversion to CD function (includes standard cylinder). Specify bar size and finish.	170	170	—
DOGKEYPAK	Hex dogging keys (10 keys per pack)	—	—	43
9DRKIT	Dogging repair kit. Includes all parts for hex key dogging assembly.	—	—	80
Fasteners				
GK9000	Glass light shim kit for 9100, 9300, 9400 & 9500 devices. Specify finish.	73	73	—
GK9200	Glass light shim kit for 9600, 9700 & 9800 devices. Specify finish.	73	73	—
SNBPAK	Sex nuts and bolts, 2 per pack. Specify finish.	13	13	—
Strikes, 9100 Series CVR / 9400 Series SVR / 9600 Series CVR / 9800 Series SVR				
340	Flat slide bolt bottom strike — CVR/SVR	—	—	38
416V	Surface bottom strike for pullman latch — SVR	—	—	38
418	Standard top strike — CVR	—	—	38
419	Wood frame top strike — CVR	—	—	49
426	Standard top strike — CVR	—	—	38
426A	Top strike with angle — SVR	—	—	49
431	Recessed bottom strike for pullman latch — CVR/SVR	—	—	49
439	Standard slide bolt bottom strike — CVR/SVR	—	—	38
Strikes, 9300 Series Rim / 9700 Series Rim				
320	Overlap strike — Rim	—	—	58
416	Strike — Rim	—	—	38
430	Strike — Rim	—	—	60
463	Extended lip strike (fire-rated, hurricane rated) — Rim	—	—	60
476	Roller strike — Rim	—	—	38
486	Roller strike — Rim	—	—	38
Cylinder Adaptors				
80CK	Rim cylinder mounting kit. Included with 03 trim.	—	—	25

* Please allow 4 week lead time for 629 finish.

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts



		Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
Item	Description	List \$		
Strikes, 9500 Series Mortise				
465	Standard strike — Mortise	—	—	38
565L	Open back strike — Mortise (for LHR applications)	—	—	60
565R	Open back strike — Mortise (for RHR applications)	—	—	60
Chassis Kit				
91CRKT	Chassis kit, 9100 CVR	—	—	103
93CRKT	Chassis kit, 9300 Rim	—	—	18
94CRKT	Chassis kit, 9400 SVR	—	—	58
95CRKTLHR	Chassis kit, 9500 Mortise. Specify handing.	—	—	44
95CRKTRHR	Chassis kit, 9500 Mortise. Specify handing.	—	—	44
96CRKT	Chassis kit, 9600 CVR	—	—	103
97CRKT	Chassis kit, 9700 Rim	—	—	18
98CRKT	Chassis kit, 9800 SVR	—	—	58
Chassis Assembly				
CHASASSY91	Chassis assembly 9100 CVR. Specify handing. Includes mounting screws.	—	—	193
CHASASSY93	Chassis assembly 9300 Rim. Includes mounting screws.	—	—	206
CHASASSYF93	Chassis assembly F9300 Rim. Includes mounting screws.	—	—	241
CHASASSY94	Chassis assembly 9400 SVR. Includes mounting screws.	—	—	206
CHASASSY95	Chassis assembly 9500 Mortise. Specify handing. Includes mounting screws.	—	—	193
CHASASSY96	Chassis assembly 9600 CVR. Includes mounting screws.	—	—	193
CHASASSY97	Chassis assembly 9700 Rim. Includes mounting screws.	—	—	206
CHASASSYF97	Chassis assembly F9700 Rim. Includes mounting screws.	—	—	241
CHASASSY98	Chassis assembly 9800 SVR. Includes mounting screws.	—	—	193
Chassis Assembly Cover				
CHCOV91/95	Chassis assembly cover. Includes cover and mounting screws.	66	133	—
CHCOV93	Chassis assembly cover. Includes cover and mounting screws.	90	167	—
CHCOV94	Chassis assembly cover. Includes cover and mounting screws.	90	167	—
CHCOV96	Chassis assembly cover. Includes cover and mounting screws.	66	133	—
CHCOV97	Chassis assembly cover. Includes cover and mounting screws.	90	167	—
CHCOV98	Chassis assembly cover. Includes cover and mounting screws.	90	167	—
End Caps				
EC	End cap, panic devices. Includes end cap, end cap mounting bracket, and mounting screws.	68	81	—
FEC	End cap, fire-rated devices. Includes end cap, end cap mounting bracket, and mounting screws.	68	81	—

* Please allow 4 week lead time for 629 finish.



Item	Description	Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
		List \$		
Touch Bar and Rail Assembly				
TBR	Touch bar and rail assembly. Specify bar size and finish. (Partial length).	300	600	—
FTBR	Touch bar and rail assembly fire-rated. Specify bar size and finish. (Partial length).	325	630	—
MLRTBR	Touch bar and rail with MLR option. Specify bar size and finish.	800	1,000	—
MLRFTBR	Touch bar and rail with MLR option. Fire-rated. Specify bar size and finish.	825	1,030	—
ESTBR	Touch bar and rail assembly with ES option. Specify bar size and finish.	800	1,000	—
ESFTBR	Touch bar and rail assembly, fire-rated, with ES option. Specify bar size and finish.	825	1,030	—
FLTBR	Full length touch bar and rail assembly	446	986	—
FLFTBR	Full length fire-rated touch bar and rail assembly	476	1,016	—
9100 Series CVR / 9600 Series CVR				
9GALD	Aluminum door bracket	—	—	102
CVBOTPULLTCH	Bottom pullman latch assembly. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	158
CVBOTSBLTCH	Standard bottom slide bolt assembly. Includes slide bolt assembly, (2) each mounting brackets, ALD bracket, and mounting screws.	—	—	81
CVRD96	Concealed vertical rod assembly. Includes outer and inner rods, rod retaining clip, and pivot connecting links.	—	—	96
CVRDLWR91	Concealed vertical rod kit, lower. Includes rod assembly, push rod, and fasteners for standard DORMA door prep (40-5/16" measured from finished floor or threshold to horizontal centerline device).	—	—	86
CVRDUPR91	Concealed vertical rod kit, upper. Includes rod assembly, push rod, and fasteners.	—	—	75
CVTOPLTCH	Top latch assembly. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	170
ETR 9100	Top rod extension kit, 9100, for 8'-10' doors	—	—	49
FCVBOTPULLTCH	Bottom pullman latch assembly, fire-rated. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	175
FCVBOTSBLTCH	Standard bottom slide bolt, fire-rated. Includes slide bolt assembly, (2) each mounting brackets, and bracket/mounting screws.	—	—	81
FCVTOPLTCH	Standard top latch assembly, fire-rated. Includes latch assembly, (2) each mounting angle brackets, ALD bracket, and mounting screws.	—	—	188
CVTOPLTCHNS	Standard top latch assembly for 9600 narrow stile CVR devices. Includes latch assembly, narrow stile bracket (assembled), and mounting screws.	—	—	170
POPPER	Popper	—	—	66

NOTE: Highlighted items are available from Select Service.

* Please allow 4 week lead time for 629 finish.

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts



Item	Description	Finishes		
		Painted	Plated or Base Metal	Finish N/A
		689, 691, 693, 695, 696	605, 606, 611, 612, 613, 619, 625, 626, 629*, 630	
		List \$		
9400 Series SVR				
ETR 9400	Top rod extension kit, 9400, for 7'–9' or 8'–10' doors	49	97	—
FSVBOTPULLTCH	Bottom pullman latch assembly, fire-rated. Includes mounting screws.	—	—	110
FSVBOTSBLTCH	Standard bottom slide bolt assembly, fire-rated. Includes slide bolt assembly and mounting screws.	—	—	94
FSVTOPLTCH	Standard top latch assembly, fire-rated. Includes mounting screws.	—	—	151
LCHCOV	Latch assembly cover. Includes cover and mounting screws.	71	104	—
POPPER	Popper	—	—	66
SVBOTPULLTCH	Bottom pullman latch assembly. Includes mounting screws.	—	—	102
SVBOTSBLTCH	Standard bottom slide bolt assembly. Includes slide bolt assembly and mounting screws.	—	—	81
SVTOPLTCH	Standard top latch assembly. Includes mounting screws.	—	—	95
SVRDLWR	Surface vertical rod, lower. Precut, threaded, and drilled for standard DORMA door prep (40-5/16", measured from finished floor or threshold to horizontal centerline device). Includes push rod, rod guide, and fasteners.	44	58	—
SVRDUPR947	Surface vertical rod, upper. Precut, threaded, and drilled for 7' door. Includes push rod, rod guide, and fasteners.	66	91	—
SVRDUPR948	Surface vertical rod, upper. Precut, threaded, and drilled for 8' door. Includes push rod, rod guide, and fasteners.	66	91	—
9500 Series Mortise — Specify if device is prior 11/14. Devices prior to 11/14 will require new trim.				
Specify fire-rated, LFSF or LFSC, fire-rated LFSF or LFSC				
95MLB	Mortise lock body, armor front, spindle, cylinder, and end cap. Specify handing.	299	299	
95MLB	Mortise lock body. Fire-rated. Specify handing.	305	305	
95MLB	Mortise lock body. LFSF, LFSC, and/or fire-rated. Specify handing.	924	924	

NOTE: Highlighted item is available from Select Service in 630 finish only.

* Please allow 4 week lead time for 629 finish.

8000 SERIES

Item	Description	List Add \$
Dogging		
DOGKEYPAK	Hex dogging keys (10 keys per pack)	43
8DRKIT	Dogging repair kit. Includes all parts for hex key dogging assembly.	80
Fasteners		
GK8000	Glass light shim kit	73
SNBPAK	Sex nuts and bolts, 2 per pack/3 required for 8300 (EO)	13
Strikes, 8400 Series SVR		
340	Flat slide bolt bottom strike — CVR/SVR	38
416V	Surface bottom strike for pullman latch — SVR	38
418	Standard top strike — CVR	38
419	Wood frame top strike — CVR	49
426	Standard top strike — CVR	38
426A	Top strike with angle — SVR	49
431	Recessed bottom strike for pullman latch — CVR/SVR	49
439	Standard slide bolt bottom strike — CVR/SVR	38
Strikes, 8300 Series Rim		
320	Overlap strike — Rim	58
416	Strike — Rim	38
425	Strike — Recessed	38
430	Strike — Rim	60
463	Extended lip strike (fire-rated, hurricane rated) — Rim	60
476	Roller strike — Rim	38
486	Roller strike — Rim	38
Cylinder Adaptors		
803CK	Rim cylinder mounting kit. Included with O3 trim.	25
Chassis Kit		
83CRKT	Chassis kit, 8300 Rim	21
Chassis Assembly		
CHASASSY83	Chassis assembly 8300 Rim. Includes mounting screws.	129
FCHASASSY83	Chassis assembly F8300 Rim. Includes mounting screws.	172
CHASASSY84	Chassis assembly 8400 SVR. Includes mounting screws.	129

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls &
Handles

Service Parts



Item	Description	List Add \$
Chassis Assembly Cover		
FCHCOV83	Chassis assembly cover, fire-rated. Includes cover and mounting screws.	53
CHCOV83	Chassis assembly cover. Includes cover and mounting screws.	42
CHCOVLM83	Chassis assembly cover, latch monitoring. Includes cover and mounting screws.	81
FCHCOVLM83	Chassis assembly cover, latch monitoring, fire-rated. Includes cover and mounting screws.	73
CHCOV84	Chassis assembly cover. Includes mounting screws.	42
End Caps		
EC8	Two piece end cap replacement kit, panic devices. Includes end cap, end cover, and mounting screws.	21
8400 Series SVR		
ETR 8400	Top rod extension kit, 8400, for 7'-9' or 8'-10' doors. Specify finish.	49
FSVBOTPULLTCH	Bottom pullman latch assembly, fire-rated. Includes mounting screws.	110
FSVBOTSBLTCH	Standard bottom slide bolt assembly, fire-rated. Includes slide bolt assembly and mounting screws.	94
FSVTOPLTCH	Standard top latch assembly, fire-rated. Includes mounting screws.	151
LCHCOV8	Latch assembly cover. Includes cover and mounting screws.	8
POPPER	Popper	66
SVBOTPULLTCH	Bottom pullman latch assembly. Includes mounting screws.	102
SVBOTSBLTCH	Standard bottom slide bolt assembly. Includes slide bolt assembly and mounting screws.	81
SVTOPLTCH	Standard top latch assembly. Includes mounting screws.	95
SVRDLWR84	Surface vertical rod, lower. Precut, threaded, and drilled for standard DORMA door prep (40-5/16", measured from finished floor or threshold to horizontal centerline device). Includes push rod, rod guide, and fasteners.	44
SVRDUPR847	Surface vertical rod, upper. Precut, threaded, and drilled for 7' door. Includes push rod, rod guide, and fasteners. Specify finish.	66
SVRDUPR848	Surface vertical rod, upper. Precut, threaded, and drilled for 8' door. Includes push rod, rod guide, and fasteners. Specify finish.	66
Touch Bar and Rail Assembly		
TBR8	Touch bar and rail assembly. Specify bar size and finish.	311
FTBR8	Fire-rated touch bar and rail assembly. Specify bar size and finish.	341

NOTE: Highlighted items are available from Select Service. ETR 8400 available in 689 finish only.



SURFACE CLOSERS

Closer Bodies

Item	Description	Painted Finish \$
TS9315 B CB	Closer body only (pull side), size 1–5	348
TS9315 G CB	Closer body only (push side), size 1–5	348
TS9356 B CB	Closer body only (pull side), size 5–6	348
TS9356 G CB	Closer body only (push side), size 5–6	348
TS9315 B	Closer body w/backplate (pull side), size 1–5	386
TS9315 G	Closer body w/backplate (push side), size 1–5	386
TS9356 B	Closer body w/backplate (pull side), size 5–6	386
TS9356 G	Closer body w/backplate (push side), size 5–6	386
8907 CB	Closer body only	321
8902TEL	Closer body only (telephone booth)	355
8916 CB, 8956 CB,	Closer body only	310
8916DA CB, 8956DA CB	Closer body only w/delayed action	344
STA 8916 CB, STA 8956 CB	Closer body only for use with stainless steel closer combinations	380
STA 8916DA CB, STA 8956DA CB	Closer body only w/delayed action	414
8616 CB	Closer body only	210
8616DA CB	Closer body only w/delayed action	245
STA 8616 CB	Closer body only for use with stainless steel closer combinations	279
STA 8616DA CB	Closer body only w/delayed action	313
7414 CB, 7436 CB	Closer body only	177
7414DA CB, 7436DA CB	Closer body only w/delayed action	211
STA 7414 CB, STA 7436 CB	Closer body only for use with stainless steel closer combinations	239
STA 7414DA CB, STA 7436DA CB	Closer body only w/delayed action	274
7302–7305 CB	Closer body only	177
U1500 SERV	U1500 service pack (1 each complete tri-pack assembly, 689/695 only)	165

Backplates & Drop Plates

Item	Applicable Series	Description	Painted Finish \$
BP73	7300, U1500	Backplate for 7300/U1500	30
BP73T	7300	Backplate for 7300 × slide track	30
BP74	7400	Backplate for 7400	30
BP74T	7400	Backplate for 7400 × slide track	30
BP86	8600, 7000	Backplate for closer with slim cover	30
BP86FC	8600, 7400	Backplate for closer with full cover	30
BP86T	8600, 7400, 7300	Backplate for slide track closer with slim cover	30
BP86TFC	8600, 7400,	Backplate for slide track closer with full cover	30
BP86FTFC	8600, 7400	Backplate for flush transom slide track closer w/wo slim or full cover	30
BP89	8900	Backplate for top jamb with frame <2-7/8"	30

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Backplates & Drop Plates (continued)

Item	Applicable Series	Description	Painted Finish \$
DP73	7300, U1500	Drop plate for 7300/U1500	30
DP74	7400	Drop plate for 7400	30
DP86	8600, 7000	Drop plate for closer with slim cover	30
DP86FC	8600, 7400	Drop plate for closer with full cover	30
DP89	8900	Drop plate for PA where top rail is < 5-3/4"	30
BP9315	TS9315	Backplate for size 1-5 closer	30
BP9356	TS9356	Backplate for size 5-6 closer	30

Conversion Plates

Item	Applicable Series	Description	Painted Finish \$
4040R	8900	LCN 4040 regular 120° mount	44
4040P	8900	LCN 4040 parallel arm 180° mount	44
4040C	8900	LCN 4040 cush arm 90° mount	44
4040E	8900	LCN 4040 EDA arm 180° mount	44
4011	8900	LCN 4011 regular 90° mount	44
4111	8900	LCN 4111 parallel arm mount	44
4020	8900	LCN 4020 top jamb mount	44
4011FT	8900	LCN Standard arm shoe	24
7500R	8900	Norton 7500 regular mount	44
P7500	8900	Norton 7500 parallel arm mount	44
83018501	8900	Norton 8300/8500 regular and parallel mount	44
89SPADC2210P	8900	Corbin/Ruswin DC2210PA to 8900	44
DC2200R	8900	Corbin/Ruswin DC2200REG to 8900	44
8980RPA	8900	DORMA TS83 regular and parallel mount	44
DC2200RFT	8900, 8600	Corbin/Ruswin DC2200REG foot	24
4041P86	8600	LCN 4040 regular mount to 8600	44
P750086	8600	Conversion plate for Norton P7500 to 8600 PA	44
86DC2200PA	8600	Corbin/Ruswin DC2200PA to 8600	44
86DC2200R	8600	Corbin/Ruswin DC2200REG to 8600	44
CR100	8600	Conversion plate for Corbin/Ruswin 100 to 8600	44
BP86C	8600	Backplate for conversion of 7600/7800 Series to 8600 Series	30
BP640C	7400	Backplate to retrofit 7400 to 9-1/16" hole spacing.	5
STA BP640C	STA 7400	Backplate with stainless steel fasteners to Examples: DORMA 640, Norton 1600 or Yale 50	13
16021603	7300	Norton 1602/1603 Regular	25
BP600C	7300	Backplate to retrofit 7300 to 8-9/32" hole spacing	25

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.



Brackets & Spacers

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
AB93	TS93	Angle bracket for TS93 PT/PTHO	55	174
AB89	8900	Angle bracket for 8900	55	—
AB86	8600, 7000	Angle bracket for closer with slim cover	55	—
AB74	7400	Angle bracket for 7400	55	—
AB73	7300	Angle bracket for 7300	55	—
P89	8900	Parallel arm soffit bracket, non-hold open arm and plunger hold open arms	16	77
P86	8600, 7000	Parallel arm soffit bracket, non-hold open arm and plunger hold open arms	16	77
P15	U1500	Parallel arm soffit bracket, U1500 non-hold open (689/695 only)	13	—
STA P86 **	STA 8000/7400	Stainless steel parallel arm soffit bracket, non-hold open	52	*78
PHB	8000, 7000	Parallel friction hold open bracket	16	—
PH15	U1500	Parallel arm soffit bracket, U1500 friction hold open (685/695 only)	13	—
PFT	8000, 7000	Parallel flush transom bracket	24	—
PD	8000, 7000	Parallel drop bracket, non-hold open arms	32	—
MJ	8000, 7000	Mortised jamb bracket, non-hold open arms	22	—
BS	8000, 7000	Blade stop spacer (P86, P89, PHB, and PD)	22	—
BSHD	8000, 7400, 7300	Blade stop spacer for use with heavy duty door saver and super parallel arms	25	—
NFHD	8000, 7400, 7300	Narrow frame bracket for use with heavy duty door saver and super parallel arms	25	—
FTHD	8000, 7400, 7300	Flush transom bracket for use with heavy duty door saver and super parallel arms	45	—

** Architectural finishes for STA P86 available in 630 ONLY.

When used with flat form non-hold open arms, the MJ bracket must be used with a special length arm.

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts

Fastener Packs

Item	Applicable Series	Description	Painted Finish \$
SN1	8900, U1500	(4) each 1/4-20 sex nuts for 1-3/4" door	5
SN2	8900, STA, U1500	(4) each 1/4-20 sex nuts for 1-3/8" door	5
STASN1	STA 8000/7400	(4) each 1/4-20 sex nuts for 1-3/4" door, clear powder coat	9
SN3	TS93, GSR	(4) each 10-32 sex nuts for 1-3/4" door	5
SN4	TS93, GSR	(4) each 10-32 sex nuts for 1-3/8" door	5
SNB1	8600, 7000	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	7
SNB2	8600, 7000	(4) each 1/4-20 sex nuts and machine screws for 1-3/8" door	7
COMBO	8600, 7000	Screw pack with fasteners that are a wood/machine screw combination	9
U15NHPK	U1500	All wood and machine fasteners required to install one each U1500 non-hold open closer (689/695 only)	6
U15HPK	U1500	All wood and machine fasteners required to install one each U1500 friction hold open closer (689/695 only)	6
DPK86	8600, 7000	All fasteners to be self drilling fasteners	9
DPK89	8900	All fasteners to be self drilling fasteners	9
TPK86	8600, 7000	All fasteners to be self tapping fasteners	9
TPK89	8900	All fasteners to be self tapping fasteners	9
TPK15	U1500	All self tapping fasteners to install U1500 NHO/FHO	6
TX86	8600, 7000	All exposed fasteners to be Torx security fasteners (n/a with track applications)	26
TX89	8900	All exposed fasteners to be Torx security fasteners (n/a with track applications)	26
AWS	8600, 7000	All wood screws	9
SCRPKSISH	8000, 7000	Screwpack for SIS, SISJ, SISH, SISHJ	38
SCRPKISH	8000, 7000	Screwpack for IS, ISJ, ISH, ISHJ	18
STASCRPK	STA 8000/7400	Stainless steel tri-pack closer fastener pack	26

NOTE: Highlighted items are available from Select Service.



Covers, Full Covers & Accessories

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
CAP	8600, 7000	Dust cap to cover exposed pinion of closer	4	—
CAP15	U1500	Dust cap to cover exposed pinion of U1500 (689/695 only)	3	—
COV	8600, 7000	Slim plastic cover	17	—
COV15	U1500	Slim plastic cover, U1500 (689/695 only)	13	—
FC	8000, 7400	Full plastic cover	22	—
FCSL	8000, 7400	Full plastic slotted cover (low ceiling conditions)	22	—
FMC	8900, 8600	Full metal cover (Handed for TJ/JT ([FMCL/FMCR])	27	130
FMC LL	8900, 8600	Full metal cover, lead lined. Handed & Non-Handed	129	232
STA FMC **	STA 8000/7400	Stainless steel full metal cover	129	—
EC9315	TS9315	End caps for full metal cover	13	—
EC9356	TS9356	End caps for full metal cover	15	—
FMC15 LEC	TS9315	Full metal cover	33	146
FMC56 LEC	TS9356	Full metal cover	33	146
FMC15	TS9315	Full metal cover w/end caps	37	156
FMC56	TS9356	Full metal cover w/end caps	37	156

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

NOTE: 7400 closers are not furnished to accept FC, FC SL, or FMC unless specified at time of order.

** Architectural finish for STA FMC available in 630 FINISH ONLY.

8000 Series Non-Hold Open Arms

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
AF89P	8900	Arm, flat complete tri-pack NHO w/P89 bracket, 0" to 4" reveal	82	242
AF89J	8900	Arm, flat complete NHO TJ 4" to 8" reveal	78	180
AF89	8900	Arm, flat complete NHO Reg. or TJ 0" to 4" reveal	74	175
AF8MJ	8900, 8600	Arm, flat complete NHO, for use with MJ bracket	78	—
AMF89	8900	Arm, main non-hold open x flat adjusting tube	62	158
RRA	8900	REG, rigid regular mount arm (Flat)	131	—
AF86P	8600	Arm, flat complete tri-pack NHO w/P86 bracket, 0" to 4" reveal	77	239
AF86J	8600	Arm, flat complete NHO TJ 4" to 8" reveal	73	174
AF86	8600	Arm, flat complete NHO Reg. or TJ 0" to 4" reveal	69	170
AMF86	8600	Arm, main, non-hold open x flat adjusting tube	62	158
SB04	8000	Shoe and bar, non-hold open flat, 0" to 4" reveal	29	104
SB48	8000	Shoe and bar, non-hold open flat, 4" to 8" reveal	29	104

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

8000 & 7000 Series Non-Hold Open Arms

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
ARP	8600, 7000	Arm, round complete tri-pack, NHO 8 mm rod w/P86 bracket, 0" to 4" reveal	67	232
ARJ	8600, 7000	Arm, round complete, NHO 10 mm rod, top jamb 4" to 8" reveal	63	173
AR	8600, 7000	Arm, round complete, NHO 8 mm rod, regular or top jamb 0" to 4" reveal	60	163
AO8P	8600, 7000	PA, REG & TJ secured elbow for reveals to 4" (round)	67	—
AO8	8600, 7000	REG or TJ secured elbow for reveals to 4" (round)	60	—
ARP15	U1500	Arm, round U1500 complete tri-pack, NHO 10 mm rod with P15 bracket, 0" to 4" reveal (689/695 only)	50	—
STA ARP **	STA 8000/7400	Stainless steel arm, round complete tri-pack, NHO 8 mm rod w/ stainless steel P86 bracket, 0" to 4" reveal	216	*278
STA AR **	STA 8000/7400	Stainless steel arm, round complete, NHO 8 mm rod, regular or top jamb 0" to 4" reveal	165	*196
ARNPP	8600, 7000	Arm, round complete tri-pack, NHO narrow profile 8 mm rod w/ P86 bracket 0" to 4" reveal	67	—
ARNPJ	8600, 7000	Arm, round complete, NHO narrow profile 10 mm rod, top jamb 4" to 8" reveal	63	—
ARNP	8600, 7000	Arm, round complete, NHO narrow profile, 8 mm rod regular or top jamb 0" to 4"	60	—
AMR04	8600, 7000	Arm, main and 8 mm round adjusting tube only, non-hold open	46	143
AMR48	8600, 7000	Arm, main and 10 mm round adjusting tube only, non-hold open	48	145
STA AMR04 **	STA 8000/7400	Stainless steel arm, main and 8 mm round adjusting tube only, non-hold open	109	*131
AMR04NP	8600, 7000	Arm, main and 8 mm round adjusting tube only, non-hold open narrow profile	46	—
AMR48NP	8600, 7000	Arm, main and 10 mm round adjusting tube only, non-hold open narrow profile	48	—
SR04	8600, 7000	Shoe and 8 mm round rod for 0" to 4" reveal	26	100
SR48	8600, 7000	Shoe and 10 mm round rod for 4" to 8" reveal	28	104
STA SR04 **	STA 8000/7400	Stainless steel shoe and 8 mm rod for 0" to 4" reveal	46	*57

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

** Architectural finishes for STA ARP, STA AR, STA AMR04 and STA SR04 only available in 630 finish.



Door Saver & Door Saver Hold Open Arms/Accessories (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
DS	8000, 7000	Arm, door save parallel mount complete	128	287
DST	8000, 7000	Arm, door saver thumb turn hold open parallel mount complete	172	329
DSK	8000, 7000	Arm, door saver hex key turn hold open parallel mount complete	172	329
SDS	8000, 7000	Arm, spring door saver parallel mount complete	236	389
SDST	8000, 7000	Arm, spring door saver hold open parallel mount complete	280	431
BUMPERDS	8000, 7000	Bumper cushion and screw for door saver arm	22	—
SSPRINGDS	8000, 7000	Spring door saver, spring stop assembly complete	60	130
CS	TS93	Cushion stop to help stop door in normal opening	32	—

Super Parallel Arm & Super Parallel Hold Open Arms/Accessories (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
SPA	8000, 7000	Arm, super parallel mount complete	99	255
SPAT	8000, 7000	Arm, super parallel mount thumb turn hold open complete	144	298
SPAK	8000, 7000	Arm, super parallel mount hex key turn hold open complete	144	298

IS & Spring IS Arms (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
IS	8000, 7000	Arm, IS cushion complete w/bumper, reg mount	265	440
ISH	8000, 7000	Arm, hold open IS cushion complete w/bumper, reg mount	325	—
SIS	8000, 7000	Arm, spring IS complete w/bumper, regular or top jamb mount for 0" to 3-1/2" reveal	350	538
SISH	8000, 7000	Arm, spring IS hold open complete w/bumper, reg or top jab mount 0" to 3-1/2" reveal	401	—
ISJ	8000, 7000	Arm, IS cushion complete w/bumper for TJ 3-1/2" to 6-1/2" reveal	290	457
ISJH	8000, 7000	Arm, hold open IS cushion complete w/bumper for TJ 3-1/2" to 6-1/2" reveal	342	—
SISJ	8000, 7000	Arm, spring IS complete w/bumper, top jamb mount for 3-1/2" to 6-1/2" reveal	358	441
SISJH	8000, 7000	Arm, spring IS hold open complete w/bumper top jamb mount for 3-1/2" to 6-1/2" reveal	409	—

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

IS & Spring IS Arms (8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
SISM03	8000, 7000	Arm, main, IS/SIS, w/connecting bar for 0 to 3-1/2" reveal	101	178
SISM36	8000, 7000	Arm, main, ISJ/SISJ, w/connecting bar for 3-1/2" to 6-1/2" reveal	137	250
SISMH03	8000, 7000	Arm, main, IS/SIS, hold open, w/connecting bar for 0 to 3-1/2" reveal	137	—
SISMH36	8000, 7000	Arm, main, ISJ/SISJ, hold open, w/connecting bar for 3-1/2 to 6-1/2" reveal	253	—
ISST	8000, 7000	Assembly, IS shoe and connecting arm tube (connects to frame or door, depending on mount)	106	164
SISST	8000, 7000	Assembly, SIS spring stop and connecting arm tube (connects to frame or door, depending on mount)	192	341
BUMPERIS	8000, 7000	Bumper cushion and attachment hardware for IS and SIS arms	22	—

Friction Hold Open Arms (8000/7000 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
FHP	8000, 7000	Friction hold open arm complete tri-pack, 0" to 4" reveal	113	—
FHJ	8000, 7000	Friction hold open arm complete, for top jamb 4" to 8" reveal	109	—
FH	8000, 7000	Arm, friction hold open, complete, for regular or parallel arm	106	—
FHM04	8000, 7000	Arm, friction hold open main and adjusting tube, 0" to 4" reveal	62	—
FHM48	8000, 7000	Arm, friction hold open main and adjusting tube, 4" to 8" reveal	72	—
FHSB	8000, 7000	Shoe and bar, friction hold open	61	—
FHP U15	U1500	Friction hold open arm complete U1500 tri-pack, 0" to 4" reveal (689/695 only)	65	—

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Plunger Hold Open Arms (8900/8600 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
PHP	8900, 8600	Arm, plunger hold open complete for parallel or top jamb mount 1-1/2" to 3-1/2" reveal	167	445
PH	8900, 8600	Arm, plunger hold open complete for regular or top jamb mount 0" to 1-1/2" reveal	162	364
PHM	8900, 8600	Arm, main and adjusting tube only, plunger hold open	105	347
PHSBP	8900, 8600	Shoe and bar, plunger hold open, parallel or top jamb 1-1/2" to 3-1/2" reveal	63	157
PHSB	8900, 8600	Shoe and bar, plunger hold open, regular or top jamb 0" to 1-1/2" reveal	50	150

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Track & Track Hold Open Arms/Accessories (TS93/8900/8600/7400/7300 Series)

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
T93	TS93	Arm/slide channel complete (pull side)	166	366
T	8000, 7400, 7300	Arm/slide channel complete, door or frame mount (pull side) T/JT/FT	132	312
ST	TS93	Arm/slide channel complete, spring stop arm (pull side)	293	594
PT93	TS93	Arm/slide channel complete, soffit mount (push side)	187	358
PT	8000, 7400, 7300	Arm/slide channel complete, soffit mount (push side)	156	334
SPT	TS93	Arm/slide channel complete, spring stop arm (push side)	293	594
TDE	8000, 7400, 7300	Arm/slide channel complete, double egress frame mount (pull side)	188	—
T93H	TS93	Arm/slide channel complete, hold open (pull side)	187	388
TH	8000, 7400, 7300	Arm/slide channel complete, door or frame mount hold open (pull side) TH/JTH/FTH	156	334
STH	TS93	Arm/slide channel complete, spring stop arm hold open (pull side)	316	612
PT93H	TS93	Arm/slide channel complete, soffit mount hold open (push side)	187	388
PTH	8000, 7400, 7300	Arm/slide channel complete, soffit mount hold open (push side)	177	356
TDEH	8000, 7400, 7300	Arm/slide channel complete, double egress frame mount hold open (pull side)	210	—
TPKT90	8900	Arm/slide channel complete, all 90° to 119°	156	—
T93PKT90	TS93	Arm/slide channel complete, all 90° to 119° pocket	187	—
T93PKT170	TS93	Arm/slide channel complete, 120° to 170° pocket	187	—
T93PKT180	TS93	Arm/slide channel complete, 170° to 180° pocket (specify hand)	220	—
THKIT	8000, 7400, 7300	Replacement hold open assembly for track installations	62	—
THKIT93ONLY	TS93	Replacement hold open assembly for track installations	62	—

Carry Bars & Extension Kits

Item	Applicable Series	Description	Painted Finish \$	Plated Finish \$
MK397	GSR	Carry bar — up to 3-6" wide doors	37	77
MK398	GSR	Carry bar — 3-6" and wider doors	41	92
GSR EXT KIT	GSR	Cover and connecting rod extension kit — openings over 8" wide	165	N/A



Touch Up Paint

Item	Applicable Series	Description	List \$
PNT689	All	Aluminum aerosol spray paint	29
PNT690	All	Statuary bronze aerosol spray paint	29
PNT691	All	Dull bronze aerosol spray paint	29
PNT693	All	Black aerosol spray paint	29
PNT695	All	Dark duranodic bronze aerosol spray paint	29
PNT696	All	Gold aerosol spray paint	29
PNT689 CASE	All	Aluminum aerosol spray paint, case of 6	149
PNT690 CASE	All	Statuary bronze aerosol spray paint, case of 6	149
PNT691 CASE	All	Dull bronze aerosol spray paint, case of 6	149
PNT693 CASE	All	Black aerosol spray paint, case of 6	149
PNT695 CASE	All	Dark duranodic bronze aerosol spray paint, case of 6	149
PNT696 CASE	All	Gold aerosol spray paint, case of 6	149



EMR/EMF SERIES

Fire/Life Safety

Item	Applicable Series	Description	List \$
COV	8600	Slim plastic closer body cover	17
FC	8900/8600	Full plastic closer body cover	22
FMC	8900/8600	Full metal closer body cover (specify hand)	27
SN1	8900	(4) each 1/4-20 sex nuts for 1-3/4" door	5
SN3	TS93	(4) each 10-32 sex nuts for 1-3/4" door	5
SNB1	8600	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	7
SD2	EMR	Replacement detector module	433
RFR	All	Radio frequency receiver for wireless release of hold open	280
HHRFT1	All	Hand held transmitter for wireless release of hold open	138
TRANSF	All	120 VAC to 24 VAC Transformer (External)	55
SCRPKEMRDET	EMR	EMR Standoff for SD-2 Detector Replacement (EMR)	3
TERMINALBLOCK	EMF	Screw-in replacement terminal block 4-pin/white	4

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

1800 SERIES

Item	Description	List \$
SN1	(4) each 1/4-20 sex nuts for 1-3/4" door	5
SNB1	(4) each 1/4-20 sex nuts and machine screws for 1-3/4" door	7
EXPKIT	Exposed wiring bracket	30
SFKIT	Swing free kit	41
SOL1800	1800 replacement solenoid 24 VAC/DC	291
SD2	Replacement detector module	433
AR	Arm round complete 0"-4" reveal	60
ARJ	Arm round complete, NHO 10mm rod, top jamb 4" to 8" reveal	64
RFR	Radio frequency receiver for wireless release of hold open	280
HHRFT1	Hand held transmitter for wireless release of hold open	138
CAMDRIVE	Replacement Hold Open Cam/Cam Drive	18
TRANSF	120 VAC to 24 VAC Transformer	55
FMC1800	Replacement cover for 1800 Series (specify arm type and hand)	124
T-ARM1800	Track main arm for 1800 Series	75

NOTE: Highlighted items are available from Select Service.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
ComponentsLow Energy
OperatorsSurface
ClosersFire/Life
SafetyConcealed
Closers/PivotsStops/
HoldersSliding
SystemsArchitectural
Pulls &
Handles

Service Parts



EM SERIES

Item	Description	689/695 Finish \$	696 Finish \$
ER1.5 **	1-1/2" extension rod	58	—
2 **	2" extension rod	66	—
ER7 **	6-3/8"—8" adjustable extension rod	74	—
ER12 **	8-3/8"—12" adjustable extension rod	82	—
CPSHORT	2" projection catch plate (door portion)	85	98
CPLONG	2-5/8" projection catch plate (door portion)	97	111
EMDPPK **	Door plate pack, (plate, bracket & fasteners)	32	—
EMSCRPK **	Universal fastener pack for all EM models	21	—
EMSURFPK **	Surface mount box and fastener pack for EM 509	75	—
EMFACEPLTPK **	Brackets and fastener pack for all EM face plates	20	—

** Available in 689 finish only.

NOTE: Highlighted items are available from Select Service, and only available in 689 finish.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

BTS SERIES

Floor Closers with Cement Cases, Less Spindle

Item	Description	List \$
BTS80 - Sz 4,6	Floor closer for non-labeled doors (previously Sz 2 and Sz 3, respectively)	971
BTS80 - Sz 3	Floor closer for non-fire rated, light opening force requirements (previously BFE)	971
BTS80 F - Sz 5	Floor closer for fire doors (specify hand)	993
BTS80 BOX	BTS 80 cement case only	80
BTS75V - NHO	Floor closer for non-labeled doors or fire doors	888
BTS75V BF - NHO	Floor closer for non-labeled doors	888
BTS75V - 90° HO	Floor closer for non-labeled doors	941
BTS75V - 105° HO	Floor closer for non-labeled non-fire rated doors	941
BTS75V BF - 90° HO	Floor closer for non-labeled doors	941
BTS75V BOX	BTS75V cement case only	75
BTS80 EMB - Sz 5	Floor closer w/electro-hydraulic hold open (specify hand)	2,522

NOTE: Highlighted items are available from Select Service.

Interchangeable Spindles

Item	Description	List \$
74003	5/16" clearance spindle	67
74005	1/2" clearance spindle	67
74007	5/8" clearance spindle	67
74010	3/4" clearance spindle	67
74012	13/16" clearance spindle	88
74015	7/8" clearance spindle	88
74020	1-1/8" clearance spindle	88
74025	1-5/16" clearance spindle	88
74030	1-1/2" clearance spindle	88
74035	1-11/16" clearance spindle	88
74040	1-7/8" clearance spindle	88
74045	2-1/16" clearance spindle	88
74050	2-5/16" clearance spindle	88

NOTE: Highlighted items are available from Select Service.

Interchangeable Spindles (Center Hung, Single Acting Packages)

Item	Description	List \$
80003	5/16" clearance spindle	67
80005	1/2" clearance spindle	67
80010	3/4" clearance spindle	67
80015	7/8" clearance spindle	88
80020	1-1/8" clearance spindle	88
80025	1-5/16" clearance spindle	88
80030	1-1/2" clearance spindle	88

Floor Plates

Item	Description	Plated Finish \$
7410	Floor plate for BTS 80, 80 F, 80 EMB closers	108
7510	Floor plate for BTS 75V closers	108

Center Hung Bottom Arms

Item	Description	List \$
7421	Bottom arm for wood or steel doors	72
7422	Bottom arm for aluminum door	98

Center Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
8062	Complete top pivot	122	122
8062 COV	Cover only	21	21
HD8062	Heavy-duty complete top pivot	374	374

NOTE: Highlighted items are available from Select Service, and only available in 630 finish.



3/4" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75120	Full mortise standard top pivot	178	178
75122	Full mortise top pivot — 20 minute rated fire door	198	198
75133	Full mortise top pivot — 3 hour rated fire door	235	407
75140	Full mortise top pivot — 1-3/4" lead-lined doors	332	332
75140-2	Full mortise top pivot — 2" lead-lined doors	369	369
75140-2-1/4	Full mortise top pivot — 2-1/4" lead-lined doors	369	369
75140-2-1/2	Full mortise top pivot — 2-1/2" lead-lined doors	369	369
75140-3	Full mortise top pivot — 3" lead-lined doors	369	369
75142	Full mortise top pivot — 20 minute rated, 1-3/4" lead-lined doors	353	353
75142-2	Full mortise top pivot — 20 minute rated, 2" lead-lined doors	396	396
75142-2-1/4	Full mortise top pivot — 20 minute rated, 2-1/4" lead-lined doors	396	396
75142-2-1/2	Full mortise top pivot — 20 minute rated, 2-1/2" lead-lined doors	396	396
75142-3	Full mortise top pivot — 20 minute rated, 3" lead-lined doors	396	396
75143	Full mortise top pivot — 3 hour rated, 1-3/4" lead-lined doors	398	541
75143-2	Full mortise top pivot — 3 hour rated, 2" lead-lined doors	451	594
75143-2-1/4	Full mortise top pivot — 3 hour rated, 2-1/4" lead-lined doors	451	594
75143-2-1/2	Full mortise top pivot — 3 hour rated, 2-1/2" lead-lined doors	451	594
75143-3	Full mortise top pivot — 3 hour rated, 3" lead-lined doors	451	594

3/4" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	256	256
75222	Full mortise intermediate pivot — 20 minute rated fire door	273	273
75233	Full mortise intermediate pivot — 3 hour rated fire door	288	556
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	385	385
75240-2	Full mortise intermediate pivot — 2" lead-lined doors	422	422
75240-2-1/4	Full mortise intermediate pivot — 2-1/4" lead-lined doors	422	422
75240-2-1/2	Full mortise intermediate pivot — 2-1/2" lead-lined doors	422	422
75240-3	Full mortise intermediate pivot — 3" lead-lined doors	422	422
75242	Full mortise intermediate pivot — 20 minute rated, 1-3/4" lead-lined doors	407	407
75242-2	Full mortise intermediate pivot — 20 minute rated, 2" lead-lined doors	449	449
75242-2-1/4	Full mortise intermediate pivot — 20 minute rated, 2-1/4" lead-lined doors	449	449
75242-2-1/2	Full mortise intermediate pivot — 20 minute rated, 2-1/2" lead-lined doors	449	449
75242-3	Full mortise intermediate pivot — 20 minute rated, 3" lead-lined doors	449	449
75243	Full mortise intermediate pivot — 3 hour rated, 1-3/4" lead-lined doors	417	809
75243-2	Full mortise intermediate pivot — 3 hour rated, 2" lead-lined doors	471	862
75243-2-1/4	Full mortise intermediate pivot — 3 hour rated, 2-1/4" lead-lined doors	471	862
75243-2-1/2	Full mortise intermediate pivot — 3 hour rated, 2-1/2" lead-lined doors	471	862
75243-3	Full mortise intermediate pivot — 3 hour rated, 3" lead-lined doors	471	862

** All intermediate pivots are handed.

NOTE: Highlighted items are available from Select Service, and only available in 626 finish.

Locks

Cylinders, Keys & Keying

Exit Devices

Electronic Access Control Components

Low Energy Operators

Surface Closers

Fire/Life Safety

Concealed Closers/Pivots

Stops/ Holders

Sliding Systems

Architectural Pulls & Handles

Service Parts

3/4" Offset Hung Bottom Arms ▲

Item	Description	Painted Finish \$	Plated Finish \$
75323	Standard and heavy-duty bottom arm w/cover cap	95	95
CAP .75	Cover cap only for 75323 (specify hand)	33	33
75343	Standard and heavy-duty bottom arm, 1-3/4" lead-lined doors	310	310
75343-2	Standard and heavy-duty bottom arm, 2" lead-lined doors	346	346
75343-2-1/4	Standard and heavy-duty bottom arm, 2-1/4" lead-lined doors	346	346
75343-2-1/2	Standard and heavy-duty bottom arm, 2-1/2" lead-lined doors	346	346
75343-3	Standard and heavy-duty bottom arm, 3" lead-lined doors	346	346

▲ All bottom arms are handed.

1-1/2" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
15120	Full mortise standard top pivot	278	278
15122	Full mortise top pivot — 20 minute rated fire door	310	310
15133	Full mortise top pivot — 3 hour rated fire door	337	610

1-1/2" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	385	385
15222	Full mortise intermediate pivot — 20 minute rated fire door	417	417
15233	Full mortise intermediate pivot — 3 hour rated fire door	428	750

** All intermediate pivots are handed.

1-1/2" Offset Hung Bottom Arms ▲

Item	Description	Painted Finish \$	Plated Finish \$
15323	Standard and heavy-duty bottom arm w/cover cap (specify hand)	242	242
CAP 1.5	Cover cap only for 15323 (specify hand)	34	34

▲ All bottom arms are handed.



Electrified Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75200	Thru-wire 3/4" offset intermediate pivot — 8 wire**	477	477
E80622	Thru-wire center hung top pivot — 2 wire	522	522
E80624	Thru-wire center hung top pivot — 4 wire	522	522

** All intermediate pivots are handed.

Pocket Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	387	466
75523	3 hour rated pocket pivot	408	492

Miscellaneous

Item	Description	Painted Finish \$	Plated Finish \$
7451N	Slide arm assembly for independently hung doors	195	390
7451N-A (Arm plated only)	Slide arm assembly for independently hung doors	195	296
TP80	▲ Terrazo pan for BTS 80, 80 F, 80 EMB __ 3/4" offset (Handed)	487	—
TP80 CH	▲ Terrazo pan for BTS 80, 80 F, 80 EMB __ Center hung or 1-1/2" offset	443	—
TP75	▲ Terrazo pan for BTS 75V __ 3/4" offset (Handed)	464	—
TP75 CH	▲ Terrazo pan for BTS 75V __ Center hung or 1-1/2" offset	421	—
SC2	Sealing compound	67	—

▲ Terrazo pans are available stainless steel only.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts





ITS SERIES

Item	Description	List \$
THKIT	ITS hold open kit	57
BRKT ITS WOOD	Wood frame mounting kit	27
BRKT ITS METAL	Steel frame mounting kit	27

NOTE: Available from Select Service. No finish designation required.

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

**Concealed
Closers/Pivots**

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts

RTS SERIES

Overhead Concealed Closers with Mounting Brackets

Item	Description	Painted Finish \$	Plated Finish \$
RTS88 105° NHO -Sz 3, 4, BFI, BFE	Closer with 105° bumper without hold open	364	—
RTS88 105° HO -Sz 3 4, BFI or BFE	Closer with 105° bumper with 105° hold open	364	—
RTS88 90° NHO -Sz 2, 3 or 4	Closer with 90° bumper without hold open	364	—
RTS88 90° HO - Sz 2, 3 or 4	Closer with 90° bumper and 90° hold open	364	—


NOTES:

- RTS88 closer bodies are painted 689 only.
- RTS88 products are available with a N/C 5 mm extended spindle for optimal spindle bite.

NOTE: Highlighted items are available from Select Service.

Side Load Components

Item	Description	Painted Finish \$	Plated Finish \$
8831	Closer arm, 1/2" top rail	96	—
8832	Closer arm, wood door	163	—
8570	Floor pivot, 1-15/16" rail	80	—
8572	Threshold pivot, 1-9/16" rail	60	—
7421	Bottom arm for wood or steel doors	72	—
7471K	Center or offset hung standard duty floor bearing	98	98
7471K COV	Cover plate only for 7471K	36	36

 Components available in zinc plated finish only.

End Load Components

Item	Description	List \$
8835	Closer arm, 1" top rail	98
8836	Closer arm, 7/8" top rail	98
8836S	Closer arm, 7/8" top rail glass door shoe	169
8837	Closer arm, 5/8" top rail	98
8838	Closer arm, 3/4" top rail	98
8852	Floor pivot, 7/8" bottom rail	67
8853	Floor pivot, 1-9/16" bottom rail	67
8855	Threshold pivot, 7/8" bottom rail	67
8856	Threshold pivot, 1-3/8" bottom rail	67
8857	Threshold pivot, 1-9/16" bottom rail	67

NOTE: Highlighted items are available from Select Service.



Offset Hung Components

Item	Description	List \$
8812	Slide arm and channel, 3/4" rail	145
8812 Block	Replacement slide shoe	14
8511	Slide arm cover/applied stop (specify hand)	232

Offset Hung Components

Item	Description	Painted Finish \$	Plated Finish \$
8561	Wood frame cover plate	62	144
8563*	Aluminum frame cover plate	62	—
8575*	Steel frame cover plate	62	144

NOTE: Highlighted items are available from Select Service, and are only available in 626 finish (for 8575) or 689 finish (for 8563).

Miscellaneous Components

Item	Description	List \$
8521E	Add-on 1-5/16" spindle extension	52
8532	Steel header closer mounting channel	52
8820J	Conversion bracket kit for Jackson replacement	16

NOTE: Highlighted item is available from Select Service, and is available in 689 finish only.

LM SERIES

Center Hung Bottom Arms

Item	Description	List \$
7421	Bottom arm for wood or steel doors	72
7422	Bottom arm for aluminum door	98

Center Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
8062	Complete top pivot	122	122
8062.5	Frame portion only, special 1/2" diameter pin	95	95
8062.6	Frame portion only, standard pin	84	84
HD8062	Heavy-duty complete top pivot	388	388
8062 EXT PIN	Extended pin only	44	—
8062 LOWER	Door portion only	30	—
8062 COV	Cover only	21	21

3/4" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75120	Full mortise standard top pivot	178	178
75120/102	Full mortise standard top pivot, for pull side reveal condition (specify hand)	288	288
75122	Full mortise top pivot — 20 minute rated fire door	198	198
75133	Full mortise top pivot — 3 hour rated fire door	235	407
75140	Full mortise top pivot — 1-3/4" lead-lined doors	332	332
75140-2	Full mortise top pivot — 2" lead-lined doors	369	369
75140-2-1/4	Full mortise top pivot — 2-1/4" lead-lined doors	369	369
75140-2-1/2	Full mortise top pivot — 2-1/2" lead-lined doors	369	369
75140-3	Full mortise top pivot — 3" lead-lined doors	369	369
75142	Full mortise top pivot — 20 minute rated, 1-3/4" lead-lined doors	353	353
75142-2	Full mortise top pivot — 20 minute rated, 2" lead-lined doors	396	396
75142-2-1/4	Full mortise top pivot — 20 minute rated, 2-1/4" lead-lined doors	396	396
75142-2-1/2	Full mortise top pivot — 20 minute rated, 2-1/2" lead-lined doors	396	396
75142-3	Full mortise top pivot — 20 minute rated, 3" lead-lined doors	396	396
75143	Full mortise top pivot — 3 hour rated, 1-3/4" lead-lined doors	398	541
75143-2	Full mortise top pivot — 3 hour rated, 2" lead-lined doors	451	594
75143-2-1/4	Full mortise top pivot — 3 hour rated, 2-1/4" lead-lined doors	451	594
75143-2-1/2	Full mortise top pivot — 3 hour rated, 2-1/2" lead-lined doors	451	594
75143-3	Full mortise top pivot — 3 hour rated, 3" lead-lined doors	451	594



3/4" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
75220	Full mortise standard intermediate pivot	257	257
75222	Full mortise intermediate pivot — 20 minute rated fire door	273	273
75233	Full mortise intermediate pivot — 3 hour rated fire door	288	556
75240	Full mortise intermediate pivot — 1-3/4" lead-lined doors	385	385
75240-2	Full mortise intermediate pivot — 2" lead-lined doors	422	422
75240-2-1/4	Full mortise intermediate pivot — 2-1/4" lead-lined doors	422	422
75240-2-1/2	Full mortise intermediate pivot — 2-1/2" lead-lined doors	422	422
75240-3	Full mortise intermediate pivot — 3" lead-lined doors	422	422
75242	Full mortise intermediate pivot — 20 minute rated 1-3/4" lead-lined doors	407	407
75242-2	Full mortise intermediate pivot — 20 minute rated 2" lead-lined doors	449	449
75242-2-1/4	Full mortise intermediate pivot — 20 minute rated 2-1/4" lead-lined doors	449	449
75242-2-1/2	Full mortise intermediate pivot — 20 minute rated 2-1/2" lead-lined doors	449	449
75242-3	Full mortise intermediate pivot — 20 minute rated 3" lead-lined doors	449	449
75243	Full mortise intermediate pivot — 3 hour rated 1-3/4" lead-lined doors	417	808
75243-2	Full mortise intermediate pivot — 3 hour rated 2" lead-lined doors	471	862
75243-2-1/4	Full mortise intermediate pivot — 3 hour rated 2-1/4" lead-lined doors	471	862
75243-2-1/2	Full mortise intermediate pivot — 3 hour rated 2-1/2" lead-lined doors	471	862
75243-3	Full mortise intermediate pivot — 3 hour rated 3" lead-lined doors	471	862

NOTE: Highlighted item is available from Select Service, and is available only in 626 finish.

** All intermediate pivots are handed.



3/4" Offset Hung Bottom Arms

Item	Description	Painted Finish \$	Plated Finish \$
75320	Side jamb bottom pivot (specify hand)	330	330
75323	Standard and heavy-duty bottom arm w/cover cap (specify hand)	95	95
CAP .75	Cover cap only for 75323 (specify hand)	33	33
75343	Standard and heavy-duty bottom arm — 1-3/4" lead-lined doors (specify hand)	310	310
75343-2	Standard and heavy-duty bottom arm — 2" lead-lined doors (specify hand)	346	346
75343-2-1/4	Standard and heavy-duty bottom arm — 2-1/4" lead-lined doors (specify hand)	346	346
75343-2-1/2	Standard and heavy-duty bottom arm — 2-1/2" lead-lined doors (specify hand)	346	346
75343-3	Standard and heavy-duty bottom arm — 3" lead-lined doors (specify hand)	346	346

1-1/2" Offset Hung Top Pivots

Item	Description	Painted Finish \$	Plated Finish \$
15120	Full mortise standard top pivot	278	278
15122	Full mortise top pivot — 20 minute rated fire door	310	310
15133	Full mortise top pivot — 3 hour rated fire door	337	610

1-1/2" Offset Hung Intermediate Pivots **

Item	Description	Painted Finish \$	Plated Finish \$
15220	Full mortise standard intermediate pivot	385	385
15222	Full mortise intermediate pivot — 20 minute rated fire door	417	417
15233	Full mortise intermediate pivot — 3 hour rated fire door	428	750

** All intermediate pivots are handed.

1-1/2" Offset Hung Bottom Arms

Item	Description	Painted Finish \$	Plated Finish \$
15323	Standard and heavy-duty bottom arm w/cover cap (specify hand)	242	242
CAP 1.5	Cover cap only for 15323 (specify hand)	34	34

- Locks
- Cylinders, Keys & Keying
- Exit Devices
- Electronic Access Control Components
- Low Energy Operators
- Surface Closers
- Fire/Life Safety
- Concealed Closers/Pivots
- Stops/ Holders
- Sliding Systems
- Architectural Pulls & Handles
- Service Parts



Floor Bearings

Item	Description	Painted Finish \$	Plated Finish \$
7471K	Center or offset hung standard duty floor bearing	98	98
7171K EXT	Center or offset hung standard duty floor bearing with extended spindle. Available in 5 mm increments. Specify 5 mm to 50 mm in height.	134	134
7471K COV	Cover plate only for 7471K	36	36
7471HD/74005	Center or offset hung heavy duty floor bearing (includes 74005)	—	515

Electrified Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75200	Thru-wire 3/4" offset intermediate pivot — 8 wire	477	477
E80622	Thru-wire center hung top pivot — 2 wire	522	522
E80624	Thru-wire center hung top pivot — 4 wire	522	522

Pocket Pivots

Item	Description	Painted Finish \$	Plated Finish \$
75520	Standard pocket pivot	387	466
75523	3 hour rated pocket pivot	408	492

Interchangeable Spindles (for use with 7471HD)

Item	Description	List \$
74003	9/16" clearance spindle (when used w/7471HD)	67
74005	3/4" clearance spindle (when used w/7471HD, standard)	67
74007	7/8" clearance spindle (when used w/7471HD)	67
74010	1" clearance spindle (when used w/7471HD)	67
74012	1-1/16" clearance spindle (when used w/7471HD)	88
74015	1-1/8" clearance spindle (when used w/7471HD)	88
74020	1-3/8" clearance spindle (when used w/7471HD)	88
74025	1-9/16" clearance spindle (when used w/7471HD)	88
74030	1-3/4" clearance spindle (when used w/7471HD)	88

NOTE: Highlighted items are available from Select Service.



900/700 SERIES

Item	Description	Painted Finish \$	Plated Finish \$
7090	Pull side mounting bracket (900/700)	47	99
900RTSCH	Push side mounting bracket for use with RTS center hung closer. Provides mount for surface applied stop mount plate to prevent screws from damaging RTS closer body.	47	99
902RTSOFF	Push side mounting bracket for 902 stop/holder, used with offset pivots when RTS closer is installed in the header.	47	99
903RTSOFF	Push side mounting bracket for 903 stop/holder, used with offset pivots and an RTS closer installed in the header.	47	99

Locks

Cylinders,
Keys & Keying

Exit Devices

Electronic
Access Control
Components

Low Energy
Operators

Surface
Closers

Fire/Life
Safety

Concealed
Closers/Pivots

Stops/
Holders

Sliding
Systems

Architectural
Pulls &
Handles

Service Parts



DORMA USA
Tel: 800-523-8483
Fax: 800-274-9724
www.dorma.com
dahorders@dorma-usa.com